


# dbMesh™ Perforated lay-in ceiling tile



## Product Overview

Absorbs dbMesh™ range of high-performance acoustic ceiling panels help to create a modern, open look, and improve the audible clarity in large open spaces.

dbMesh™ is a light-weight, high-performing, and attractive alternative to metal mesh ceilings.

Designed and manufactured here in New Zealand, dbMesh™ visually masks ceiling plenum spaces, whilst allowing for open air circulation and above grid lighting.

Additional baffles can be backloaded or provided pre-assembled with dbMesh™ for aesthetic contrast, a visual barrier between spaces, and enhanced sound absorption properties.

Available either in standard colours and sizes, or with custom colour and size combination.

## Benefits

**Precise Installation**  
dbMesh™ series comes in 2 standard panel sizes to perfectly fit standard ceiling grids.

**Better Spaces**  
Improved acoustics: audibly reduces reverberation time.

**Visual Impact:** Two standard grid sizes, and alternative design finish options, and a variety of available material colours offering up to 80% light reflectance.

**Future Proofing**  
Ensures 100% plenum space access.


Durable panel construction with high impact resistance, easy to maintain or replace.


## Applications


**Ceiling:**  
Corporate Interiors, Showrooms, Speciality Retail, Foyers & Lift Lobbies,  
Retro-fit to existing grid or for new builds.

## Customisation

 Rebated edge

 CNC cut


 Custom prints

 NRC 0,7 - 1,0\*  
with Absorbing back panel

 Standard Thickness:  
9mm


 Standard Flat Edge


# dbMesh™ Perforated lay-in ceiling tile





))) NRC 0,7 - 1,0\*  
with Absorbing back panel


 Print designs available

 Composition:  
100% PET (up to 60% recycled content)


 EN 13501-1:2018: B - s1, d0

 No loose fibres

 Manufactured in NZ  
Non-Toxic, Non irritant  
Glue Free, Low VOC

 Standard Thickness:  
9mm  
Optional 12mm or 24mm

 Antibacterial

 Environmental:  
Global Recycled Standard (GRS) 4.0  
OEKO-TEX® Confidence In Textiles –  
STANDARD 100. Tested for harmful  
substances. Annex 6" Low VOC



**DBSORB Ltd**  
Acoustic Systems  
www.dbsorb.co.nz  
Copyright © 2022 DBSORB Ltd  
All Rights Reserved

Phone: (+64) 09 553 6775  
Email: sales@dbsorb.co.nz  
Address: 635 Hugo Johnston Drive, Penrose  
Auckland 1061