

Product Overview

dbsorbs[™] range of high-performance acoustic ceiling Tiles are available with dbTimber™ wood grain and printed perforations.

dbTimber™ Ceiling Tiles can be printed in a varity of wood grain prints and perforation designs. Dbsorb Ceiling tiles slot into suspended ceiling grids with no glue or fixing mounts needed.

Applications

Ceiling Grids: Office Interiors, Showrooms, Hospitality, Education and Residential.

Benefits

Drop in Installation

No Adhesives or fixings

100% recylclable and reusable Great for installing in occupied or limited ventillation spaces. No concern of glue overspray. Low cost of make-good at end of tenancy.

Easy Install & Removal

Customisations





V- Groove



Custom prints



Standard Tile Sizes: 1210 x 610, 610 x 610



Standard Thickness 9mm, 12mm



$db \, Timber \, ^{^{\mathsf{TM}}} Printed \, \mathsf{Wood} \, \mathsf{Prints}$

Dopra



Acacia 132



Acacia 142



Aged Ash 212



Aged Ash 222



Aged Ash 232



Blue Gum 312



Blue Gum 322



Cuban 412



Cuban 432



Pine 512



Pine 532



Tasmanian Oak 612



Tasmanian Oak 622



Walnut 832

Lopra



Acacia 141



Cuban 411



Cuban 431

Alpine



Oak 723



Pine 513



Pine 523



db Timber ™ Printed Wood Prints



$db \, Timber \stackrel{\scriptscriptstyle\mathsf{TM}}{=} \mathsf{Printed} \, \mathsf{Wood} \, \mathsf{Prints}$



$db \, Timber \, {}^{\scriptscriptstyle{\mathsf{TM}}} \mathsf{Printed} \, \mathsf{Wood} \, \mathsf{Prints}$









